Notice of Allowability	Application No.	Applicant(s)
	10/820,038	IZUMI ET AL.
	Examiner	Art Unit
	Eric M. Blount	2612
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>05/04/06</u> .		
2. The allowed claim(s) is/are <u>3,8-11,16 and 17</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
attached Examiner's comment regarding NEQOINEMENT	FOR THE BEFORM OF BIOLOGICA	AL IVIAT LITIAL.
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Dat 98), 7. ☐ Examiner's Amendr	e

Application/Control Number: 10/820,038 Page 2

Art Unit: 2612

Allowable Subject Matter

1. Claims 3, 8-11, 16, and 17 are allowed. The following is an examiner's statement of reasons for allowance:

- a. As for claims 3, 8-10, and 16, the prior art of record fails to sufficiently describe or suggest a system for location search of a data processing device including a wireless communications unit and a unit to output received radio wave information for location detection, the system comprising a region information database storing space identification information specifying a spatial range associated with postional coordinate information. The region information includes a predetermined control process for the spatial range. These along with further limitations set forth render the claims allowable over the prior art of record.
- b. As for claims 11 and 17, the prior art of record fails to sufficiently describe or suggest a system for location search of a data processing device including a wireless communications unit and a unit to output received radio wave information for location detection, the system comprising a region information database storing region information including space identification information specifying a spatial range associated with the position coordinate information. The space identification information includes a space name for each spatial range, range identification information for identifying a spatial range set, and entrance/exit information for indicating the position of an entrance/exit with respect to the spatial range. A search unit includes a movement detection means for detecting that the data processing device has moved to a different

Application/Control Number: 10/820,038

Art Unit: 2612

Page 3

spatial range. These along with further limitations set forth render the claims allowable over the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Eric M. Blount whose telephone number is (571) 272-2973. The examiner can normally be reached on Monday-Thursday 8:00 am - 4:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Daniel Wu can be reached on (571) 272-2964. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Eric M. Blount Examiner Art Unit 2612

... _01_

ENT EXAMINER